

Neodymium Iron Boron (NdFeB) & Samarium Cobalt (SmCo) Magnetic Bars' Specifications



Chengdu Heaven and Great Technology Co.,Ltd


📍 146 Hongqi Road, Pidu District, Chengdu, China

☎ +86 028 69914836

✉ mago@cdhgtech.com

🌐 www.advancedmagnets.com

1 NdFeB/SmCo Magnetic Bars' Size Range



Diameter (D)		Length (L)	
mm	inch	mm	inch
10-100	0.394-3.937	80-1000	3.150-39.370

Note:

* Other sizes can also be tailored according to customers' specific requirements.

2 NdFeB/SmCo Magnetic Bars' Surface Field Strength and Working Temperature

Material	Surface Field Strength		Working Temperature
	Gs	mT	°C
Neodymium Iron Boron (NdFeB)	≤ 14000	≤ 1400	≤ 200
Samarium Cobalt (SmCo)	≤ 10000	≤ 1000	≤ 350

3 NdFeB/SmCo Magnetic Bars' Tube Material and Corrosion Resistance

Tube Material	Corrosion Resistance
SUS304/AISI304	Suitable for the atmosphere and fresh water
SUS316/AISI316	Suitable for various corrosive environments such as salt and oils

4 NdFeB/SmCo Magnetic Bars' End Types



Flat End



Female Screw Threaded End



Male Screw Threaded End



End with Rod



End with Eyebolt



End with Handle

Note:

* Other end types can also be machined according to customers' specific requirements.

5 Typical NdFeB/SmCo Magnetic Grids, Filters and Separators



Note:

* Other structures can also be tailored according to customers' specific requirements.